HEALTH BASICS

Aloe

Aloe is a plant whose gel, latex, and whole-leaf extracts are used in skin products, foods, and supplements.

WHAT IT IS
A plant used in skin products, foods, and supplements

WHERE IT COMES UP
Skin care, burn gels, drinks, supplements, and laxatives

WHY IT MATTERS
Different leaf parts have different benefits and risks

WHAT IT IS NOT
Not a disease or diagnosis

WHO TO ASK
A pharmacist or primary care clinician

HOW IT IS CHECKED
No standard test; check the product label

Overview

Aloe usually means Aloe vera , a succulent plant with thick, fleshy leaves. It is an ingredient in skin gels, cosmetics, drinks, foods, and dietary supplements. Aloe is not a disease or a diagnosis.

The part of the leaf used matters. Clear aloe gel comes from the inner leaf. Aloe latex is a yellow material found just under the outer skin. It contains chemicals called hydroxyanthracene derivatives, including aloin, which have a strong laxative effect. Whole-leaf extract may contain both gel and latex unless it has been processed to remove most latex compounds.

Labels may use terms such as "inner leaf," "whole leaf," "decolorized," or "purified." These products are not interchangeable. An aloe skin gel, for example, should not be swallowed unless its label clearly says that it is intended for oral use.

Aloe is often marketed as "natural," but that does not establish that a product is effective or risk-free. Its effects depend on the plant part, processing, amount used, and route of use.

How it works

Aloe gel is mostly water. It also contains sugars and other plant compounds. In laboratory studies, some of these compounds affect inflammation and cell activity. However, laboratory findings do not prove that a finished aloe product will heal a wound or treat a medical condition.

When applied to skin, aloe gel can feel cool and may help hold moisture against the skin. Research into minor burns and wounds has produced mixed results. Product formulas and study methods differ, so it is difficult to make firm conclusions.

Aloe latex works differently. Its hydroxyanthracene compounds stimulate the bowel and draw water into it. This can cause a bowel movement, but it can also cause cramps, watery diarrhea, dehydration, and changes in body salts such as potassium.

Oral aloe gel and processed whole-leaf products have also been studied for effects on blood glucose, cholesterol, and digestive problems. Evidence is limited or inconsistent. These products should not replace treatments that have been recommended for a diagnosed condition.

In the United States, aloe latex is not accepted by the Food and Drug Administration as an over-the-counter laxative ingredient that is generally recognized as safe and effective. This decision reflected a lack of adequate safety and effectiveness data.

Why it matters for your health

The main practical issue is knowing which form of aloe you are using.

Topical aloe gel is generally tolerated by many people, but it has not been shown to be a universal treatment for burns, rashes, or wounds. Using it should not delay proper first aid or an assessment of a deep, extensive, infected, or slow-healing injury.

Oral aloe raises different concerns. Products containing latex can cause significant diarrhea and fluid loss. Processing may reduce latex compounds in whole-leaf extracts, but a label does not always tell you exactly how much remains.

Some oral aloe products may affect blood glucose. That matters if you take insulin or another medicine that lowers glucose. Diarrhea and potassium loss may also change how some medicines affect your body.

Rare cases of liver injury have been linked to oral aloe preparations. The exact ingredient responsible is not always clear because supplements may contain several substances and can differ between batches.

Long-term studies found intestinal tumors in rats given non-decolorized whole-leaf aloe

extract in drinking water. Animal results do not show that the same outcome will occur in people, but they add to concerns about regularly swallowing products that retain aloe latex compounds.

What can go wrong

Aloe-related problems usually involve skin reactions, inappropriate wound care, or swallowing a product containing latex.

Possible situations include:

Arrange routine medical follow-up if a skin reaction persists after you stop using the product, a wound is not healing as expected, or you develop ongoing digestive symptoms after taking oral aloe. Bring the container or a photograph of its label.

Seek urgent medical advice after oral aloe if you have severe or persistent diarrhea, repeated vomiting, marked weakness, very little urine, severe abdominal pain, yellow skin or eyes, or dark urine.

Call emergency services for trouble breathing, swelling of the face or throat, fainting, confusion, or another severe allergic reaction. If someone swallows a skin product or an unknown amount, contact your local poison information service promptly.

- Irritant or allergic contact dermatitis: redness, itching, burning, or a rash where aloe touched the skin
- Delayed wound or burn care: relying on aloe when an injury needs cleaning, dressing, vaccination review, or medical assessment
- Diarrhea and dehydration: especially after swallowing aloe latex or an incompletely purified whole-leaf product
- Electrolyte disturbance: loss of potassium or other body salts after repeated or severe diarrhea
- Medicine interactions: particularly with treatments affected by blood glucose, hydration, or potassium levels
- Liver injury: a rare problem reported after oral aloe supplement use
- Uncertain long-term exposure: concern about regular use of non-decolorized whole-leaf extracts

What you can do

First, identify the product. Check whether the label says inner-leaf gel, latex, or whole-leaf extract. Look for instructions stating whether it is intended for skin use, food use, or oral supplementation. Do not swallow a topical product.

For a minor burn, use standard first aid, including cooling the area with cool running water. Aloe is optional and should not replace appropriate burn care. Do not put it into the eyes or use it on a deep burn, extensive injury, or infected wound without clinical advice.

Stop topical use if it causes burning, itching, swelling, or a worsening rash. Gently wash the area to remove the product.

Before taking aloe by mouth, ask a pharmacist to review it alongside your medicines and supplements. This is especially useful if you take treatment that affects blood glucose, fluid balance, or potassium. If you are pregnant, breastfeeding, or considering oral aloe for a child, seek clinical advice rather than using aloe latex.

Keep the original packaging and note when you started the product, how often you used it, and when any unwanted effect began. The product name, ingredient list, manufacturer, and batch number can help a pharmacist, poison service, or regulator assess a possible reaction.

There is no blood test that can confirm whether an aloe product is safe or effective for you. In many cases, the most useful action is simply to read the label and avoid oral products containing aloe latex.

Common questions

Is aloe gel the same as aloe latex?

No. Gel is the clear material from the inner leaf. Latex is the yellow layer beneath the leaf skin and contains stimulant like methylphenidate or lisdexamfetamine laxative compounds. Their uses and risks are different.

Does aloe heal burns?

Evidence is mixed. Some studies suggest possible benefit for certain minor burns, but aloe is not a substitute for cooling, cleaning, dressing, or assessing a serious burn.

Can I drink aloe juice every day?

Aloe drinks differ widely. Some use purified inner-leaf gel, while others may contain whole-leaf material. Regular use is not automatically beneficial, and products retaining latex compounds may cause harm. Check the ingredient and processing information.

Is "decolorized" aloe safer?

Decolorization is intended to remove many latex compounds, including aloin. It does not

guarantee that every product has the same composition, quality, or clinical effect.

Can aloe treat constipation?

Aloe latex can stimulate the bowel, but it may cause cramps, diarrhea, dehydration, and electrolyte changes. The FDA does not recognize aloe latex as a generally safe and effective over-the-counter laxative ingredient in the United States. Ask a pharmacist about established constipation options.

Is aloe safe on sensitive skin?

Not always. Aloe can cause irritation or allergic contact dermatitis. Stop using it if the area becomes more painful, itchy, swollen, or inflamed.

Sources

- National Center for Complementary and Integrative Health. Aloe Vera . Updated July 2020.
- US Food and Drug Administration. Status of Certain Additional Over-the-Counter Drug Category II and III Active Ingredients . Final rule, 2002.
- National Institute of Diabetes and Digestive and Kidney Diseases. Aloe Vera . LiverTox: Clinical and Research Information on Drug-Induced Liver Injury . Updated May 24, 2022.
- National Toxicology Program. Toxicology and Carcinogenesis Studies of a Nondecolorized Whole Leaf Extract of Aloe Barbadensis Miller in Rats . NTP Technical Report 577, 2013.
- European Food Safety Authority Panel on Food Additives and Nutrient Sources added to Food. Safety of hydroxyanthracene derivatives for use in food . EFSA Journal . 2018;16(1):5090.