HEALTH BASICS

Discipline in children

Discipline is how caregivers teach children safe behaviour, clear limits, and self-control.

WHAT IT IS
Teaching children safe, respectful behaviour through guidance and limits

WHERE IT COMES UP
Everyday caregiving, behaviour concerns, school, and family routines

WHY IT MATTERS
Shapes safety, self-control, relationships, and emotional development

WHAT IT IS NOT
Not a disease or diagnosis

WHO TO ASK
Pediatric clinician, school counsellor, or parenting support service

HOW IT IS CHECKED
No single test; behaviour and development can be assessed

Overview

Discipline means teaching children how to behave safely and respectfully. It includes setting limits, showing what to do instead, and helping children learn from mistakes. It is not a disease, diagnosis, or medical treatment.

Discipline is broader than punishment. Punishment focuses on making an unwanted behaviour stop. Effective discipline also teaches the skill a child needs, such as waiting, managing frustration, solving a disagreement, or putting something away.

Children learn these skills gradually. What they can understand and control depends on their age, development, communication abilities, temperament, and circumstances. A toddler who grabs a toy needs a different response from a teenager who breaks an agreed curfew.

The aim is not perfect obedience. It is to help a child build safety, responsibility, self-control, and respect for other people while protecting the caregiver-child relationship.

How it works

Children learn through repeated experience. They notice which behaviours receive attention,

what happens after a choice, and how adults handle strong emotions.

Clear expectations work best when they are specific. "Please walk beside me in the car park" gives more useful information than "Behave." Young children may need one short instruction at a time. Older children can take part in discussing rules and consequences.

Positive attention strengthens wanted behaviour. This may include noticing effort, describing what went well, or thanking a child for following a direction. Praise is usually most informative when it is specific, such as, "You put the markers away when I asked."

Consequences help connect choices with outcomes. A natural consequence happens without being arranged, provided it is safe. A logical consequence is created by the caregiver and is directly related to the behaviour. For example, a toy used unsafely may be put away for a while.

Redirection can be useful for younger children. It means moving attention from an unsafe or unwanted activity to an acceptable one. Changing the environment also matters. Keeping dangerous or fragile items out of reach is more realistic than expecting an infant or toddler to resist them.

A time-out is one possible response to selected behaviours. It should be calm, predictable, safe, and free from humiliation or fear. It is not a substitute for teaching the desired behaviour, and it may not suit every child.

Discipline changes with development. Infants do not understand punishment; they need protection, comfort, and redirection. Preschool children benefit from simple routines and immediate feedback. School-age children can understand reasons and take part in problem-solving. Teenagers still need boundaries, but increasing independence calls for discussion, trust, and consequences linked to responsibilities.

Why it matters for your health

Discipline affects more than behaviour in the moment. Supportive, predictable caregiving helps children practise emotional control, communication, cooperation, and decision-making.

A calm approach also protects the relationship between a child and caregiver. Children are more able to learn when they feel safe enough to listen and recover from mistakes. This does not mean adults must remain perfectly calm. Repairing the interaction afterward-by acknowledging shouting, reconnecting, and restating the limit-can also model responsibility.

Medical and child-health organisations advise against physical punishment, including hitting, slapping, or spanking. They also advise against discipline that shames, threatens, insults, or frightens a child. These approaches may stop behaviour briefly, but they do not teach the missing skill. Research links physical punishment with greater aggression and poorer

behavioural and emotional outcomes. An association does not predict what will happen to any individual child.

Sleep, hunger, pain, stress, and overstimulation can affect behaviour. Meeting these needs does not remove the need for limits, but it may make those limits easier for a child to follow.

What can go wrong

Rules that are unclear, change often, or differ sharply between caregivers can make it difficult for a child to know what is expected. Consequences that are delayed, unrelated, or impossible to enforce may create conflict without teaching a useful lesson.

Harsh physical discipline can cause injury and may amount to child maltreatment. Shouting, humiliation, threats, and frightening isolation can also harm a child's sense of safety. Adults who feel close to losing control should place the child somewhere safe, step away if appropriate, and seek support.

Frequent or severe behaviour difficulties are not always a discipline problem. They can relate to attention-deficit/hyperactivity disorder, autism, learning or language difficulties, hearing problems, sleep disorders, anxiety, depression, trauma, or major family stress. Oppositional defiant disorder and conduct disorder are clinical diagnoses; ordinary resistance or occasional rule-breaking does not establish either condition.

Arrange routine follow-up with a pediatric or family clinician if behaviour repeatedly disrupts home, school, friendships, or family life; if expectations seem mismatched with development; or if usual strategies are not helping. A clinician may review development, sleep, hearing, learning, emotional health, and the settings where the behaviour occurs.

Seek urgent help if discipline has caused an injury, a child says they are afraid to go home, or violence in the household is escalating. Contact emergency services if a child or adult is in immediate danger, has a serious injury, or may imminently harm themselves or someone else. Child protection or safeguarding services can also advise when abuse or neglect is suspected.

What you can do

There is no medical test for "good discipline." You can, however, look for patterns and ask for an assessment when behaviour raises concerns.

Useful steps include:

A simple behaviour record can include what happened before the behaviour, what the child did,

and what happened afterward. This is sometimes called an ABC record: antecedent, behaviour, and consequence. It can help identify patterns without labelling the child.

If caregivers disagree, discuss the rules away from the child when possible. Agreeing on a small number of shared expectations is often more practical than trying to make every response identical.

Parenting programmes can teach and practise these skills. A clinician, school, community family service, or child mental health service may be able to identify an appropriate evidence-based programme.

- Choose a few clear rules linked to safety and respect
- State what the child should do, not only what must stop
- Notice and describe wanted behaviour when it happens
- Use calm, predictable consequences related to the behaviour
- Adjust language and expectations to the child's developmental level
- Avoid hitting, frightening, insulting, or humiliating the child
- Keep a record of triggers, behaviour, responses, sleep, and setting
- Ask school or childcare staff whether they see the same pattern
- Discuss persistent concerns with a pediatric or family clinician

Common questions

Is discipline the same as punishment?

No. Punishment is a consequence intended to stop behaviour. Discipline includes teaching, modelling, setting limits, reinforcing helpful behaviour, and giving children chances to practise.

Does praising a child reward behaviour they should already do?

Specific praise gives information about which behaviour was helpful. It can be gradually reduced as the skill becomes established. Praise does not need to involve gifts or money.

Is ignoring behaviour ever appropriate?

Planned ignoring may reduce minor attention-seeking behaviour when the child and others are safe. It should not be used for dangerous behaviour, distress, pain, bullying, or a child asking for help. Appropriate behaviour should receive attention when it returns.

What if a consequence does not work?

Check whether the expectation was clear, realistic for the child's development, and applied

consistently. Also consider tiredness, hunger, communication difficulty, stress, and whether the consequence was connected to the behaviour. Repeated difficulties are a reason to seek routine advice, not proof that the child is deliberately difficult.

Should discipline be different for a disabled or neurodivergent child?

The basic goals of safety and learning remain, but the method may need adapting. Visual instructions, predictable routines, sensory breaks, communication supports, or shorter tasks may help. A pediatric clinician, therapist, school team, or disability service can help identify suitable adjustments.

Sources

- Sege RD, Siegel BS, American Academy of Pediatrics. Effective Discipline to Raise Healthy Children . Pediatrics . 2018;142(6):e20183112.
- World Health Organization. WHO guidelines on parenting interventions to prevent maltreatment and enhance parent-child relationships with children aged 0-17 years . 2022.
- Centers for Disease Control and Prevention. Essentials for Parenting Toddlers and Preschoolers . US Department of Health and Human Services.
- National Institute for Health and Care Excellence. Antisocial behaviour and conduct disorders in children and young people: recognition and management . Clinical guideline CG158.
- Gershoff ET, Grogan-Kaylor A. Spanking and child outcomes: Old controversies and new meta-analyses . Journal of Family Psychology . 2016;30(4):453-469.