HEALTH BASICS

Prayer

Prayer is a personal or shared practice of directing attention toward a deity, sacred reality, or spiritual purpose.

WHAT IT IS
A spoken, silent, personal, or shared spiritual practice

WHERE IT COMES UP
Coping with illness, healthcare decisions, rituals, and spiritual care

WHY IT MATTERS
May shape coping, support, choices, and emotional wellbeing

WHAT IT IS NOT
Not a disease, diagnosis, or replacement for medical care

WHO TO ASK
A spiritual care service or healthcare professional

HOW IT IS CHECKED
No medical test or measurement

Overview

Prayer is a religious or spiritual practice. It may involve speaking, reading, singing, listening, sitting in silence, or directing thoughts toward a deity or sacred purpose. People may pray alone or with others.

Prayer can have different aims. A person might express gratitude, seek guidance, ask for help, confess, remember someone, or take part in a religious ritual. Some people use prayer during illness or grief. Others pray as part of ordinary daily life.

There is no single form of prayer. Its meaning depends on your beliefs, culture, community, and personal experience. Some people do not pray and do not identify as religious or spiritual.

Prayer is not a disease or diagnosis. It is also not a medical treatment. It may be part of how you cope with a health problem, but it should not replace assessment, medication, surgery, therapy, or other care you need.

How it works

Prayer does not have one established medical mechanism. It may affect people through several ordinary psychological and social processes.

A familiar prayer can focus attention and provide structure during an uncertain time. Quiet or repetitive prayer may slow a person's pace and feel calming, much as other reflective practices can. Prayer may also help someone put fears, hopes, or values into words.

Shared prayer can connect you with family, friends, a faith community, or a chaplain. That contact may bring practical help, companionship, and a sense of belonging. These forms of support can matter during illness, disability, bereavement, or caregiving.

Prayer can also influence decisions. Your beliefs may shape what gives life meaning, which treatments feel acceptable, or who you want involved in your care. A healthcare professional does not need to share those beliefs to listen respectfully and consider reasonable requests.

Research cannot easily separate prayer from community support, personal beliefs, health habits, and other parts of life. Many studies are observational, meaning researchers record what people already do rather than assigning it. Such studies can show an association, but they cannot prove that prayer caused a health outcome.

Researchers have also studied intercessory prayer, which means praying for another person's recovery, sometimes without meeting them. Clinical trials and a Cochrane review have not shown a reliable health benefit that would justify using intercessory prayer as treatment. These studies assess measurable medical outcomes; they do not determine the personal or theological meaning of prayer.

Why it matters for your health

Prayer may be helpful when it supports coping, hope, connection, or reflection. It may give you a way to express difficult feelings that are hard to discuss elsewhere.

Spiritual needs can become especially important during serious illness, hospital care, rehabilitation, or the end of life. Healthcare services may ask about religious or spiritual preferences so they can respect practices that matter to you. This is not a test of your beliefs.

You can choose how much to share. Useful information might include a need for privacy, particular prayer times, sacred objects, visits from a faith leader, or practices connected with food and medical procedures. Some requests may need adjustment for safety or practical reasons. For example, infection-control rules may affect shared objects, while illness may make a usual posture difficult.

Prayer does not need to improve a laboratory result to be personally meaningful. At the same time, feeling peaceful after praying does not show whether an infection, heart problem, cancer,

or other condition has improved. Medical tests and follow-up remain important when they are recommended.

What can go wrong

Prayer itself is not an illness. Problems can arise from the way it is used or from distress connected with religious beliefs.

Medical harm can occur if prayer is treated as a substitute for necessary care. Delaying an assessment, stopping prescribed medicine, or refusing urgent help based only on an expected spiritual result can allow a health problem to worsen.

Prayer can also become associated with guilt, fear, anger, or a sense of abandonment. This is sometimes called spiritual distress . A person may believe illness is a punishment, feel they have failed because recovery has not happened, or feel pressured to appear hopeful. These reactions deserve compassionate support rather than blame.

Religious coping is not always positive. Pressure from relatives, community members, or staff to join a prayer can violate your privacy or beliefs. You have the right to accept, decline, or leave a prayer without having to justify yourself.

In some people with obsessive-compulsive disorder, prayer may become a compulsion. A compulsion is an action a person feels driven to repeat to reduce intense fear, even when it takes over daily life. Prayer is not automatically a compulsion; concern arises when repetition feels unwanted, causes major distress, or interferes with sleep, work, relationships, or care.

Unusual spiritual experiences also need context. A culturally accepted prayer practice is not, by itself, evidence of a mental illness. However, seek an assessment if experiences are frightening, severely disrupt daily life, or include commands to harm yourself or someone else.

What you can do

There is no medical test for prayer, and you do not need health monitoring simply because you pray. The practical steps depend on whether prayer affects your care.

You can:

A chaplain can support people with a faith, people who are uncertain, and people with no religion. You can also ask for a leader from your own tradition. If prayer is causing guilt, fear, or conflict, you may wish to speak with a mental health professional as well as a trusted spiritual adviser.

For routine follow-up, mention concerns at an appointment if prayer is interfering with sleep, treatment, relationships, or daily activities. You can also discuss any conflict between medical advice and your beliefs before making a major decision.

Prayer should not delay emergency help. Contact emergency services for signs of a medical emergency, such as severe breathing difficulty, possible stroke, severe chest pressure, loss of consciousness, or a serious injury. Seek urgent mental health help if you may harm yourself or someone else, or if you feel unable to stay safe.

- Tell your healthcare team about religious or spiritual practices that affect treatment
- Ask whether a hospital or hospice has a chaplain or spiritual care service
- Request privacy, a quiet space, or a visit from your faith community
- Ask how fasting, prayer schedules, clothing, or ritual practices can be accommodated safely
- Keep an up-to-date record of medicines, test results, and appointments
- Continue recommended care even when prayer is part of your coping

Common questions

Can prayer cure an illness?

Prayer may have personal or spiritual value, but research has not established it as a cure or a replacement for medical treatment. Recovery after prayer does not, by itself, prove that prayer caused the recovery.

Can I pray while receiving treatment?

Usually, yes. Prayer can generally be used alongside medical care. Tell staff if you need privacy, assistance with posture, a sacred object, or a particular schedule. Safety and essential treatment may limit what is possible in some settings.

Should a healthcare professional ask about prayer?

They may ask whether spiritual or religious beliefs affect your care. You can answer fully, give only practical information, or say that you do not want to discuss it. Prayer should not be imposed on you.

What if I cannot pray in my usual way?

Illness, pain, fatigue, or disability may make speaking, kneeling, reading, or concentrating difficult. There is no medical requirement to continue a particular form. If you want guidance, a chaplain or faith leader may help you consider an adapted practice.

Does not praying harm health?

There is no evidence that everyone needs to pray to remain healthy. People use many sources of meaning and support, including relationships, culture, nature, art, reflection, and nonreligious communities.

Sources

- National Cancer Institute. Spirituality in Cancer Care (PDQ®)-Patient Version .
- Roberts L, Ahmed I, Hall S, Davison A. Intercessory prayer for the alleviation of ill health . Cochrane Database of Systematic Reviews. 2009.
- Benson H, Dusek JA, Sherwood JB, et al. Study of the Therapeutic Effects of Intercessory Prayer in Cardiac Bypass Patients . American Heart Journal. 2006;151(4):934-942.
- Koenig HG. Religion, Spirituality, and Health: The Research and Clinical Implications . ISRN Psychiatry. 2012;2012:278730.
- Puchalski C, Ferrell B, Virani R, et al. Improving the Quality of Spiritual Care as a Dimension of Palliative Care . Journal of Palliative Medicine. 2009;12(10):885-904.
- National Institute for Health and Care Excellence. Care of dying adults in the last days of life: NICE guideline NG31 . 2015, updated 2024.