HEALTH BASICS

Ultra-processed foods

Ultra-processed foods are products made mainly from industrial ingredients, often with additives.

WHAT IT IS
Foods made mainly from industrial ingredients and additives

WHERE IT COMES UP
Food labels, shopping, and dietary discussions

WHY IT MATTERS
Often linked with poorer diet quality and health outcomes

WHAT IT IS NOT
Not a disease or diagnosis

WHO TO ASK
Registered dietitian or primary care clinician

HOW IT IS CHECKED
Ingredient list and food-pattern review; no medical test

Overview

"Ultra-processed food" is a category used in nutrition research. It usually means a product made mainly from ingredients extracted from foods, manufactured substances, and additives. Examples may include some soft drinks, packaged snacks, instant noodles, sweetened breakfast cereals, reconstituted meat products, and ready-made desserts.

The term comes from NOVA, a system that groups foods by how and why they were processed.[1] NOVA has four broad groups:

Ultra-processed food is not a disease or diagnosis. It is also not the same as "processed food." Washing, freezing, pasteurising, fermenting, and canning are all forms of processing. These methods can make food safer, more convenient, or longer-lasting without necessarily making it ultra-processed.

There is no medical test for ultra-processed food intake. The category is mainly used to study dietary patterns, and experts do not always classify every product in the same way.

- Unprocessed or minimally processed foods, such as fruit, milk, or frozen vegetables
- Processed culinary ingredients, such as oil, sugar, and salt

- Processed foods, such as canned vegetables or traditional cheese
- Ultra-processed foods, often made through several industrial processes

How it works

Ultra-processed products are often designed to be convenient, ready to eat, or easy to heat. They may contain ingredients rarely used in a home kitchen, such as protein isolates, modified starches, hydrogenated oils, flavour enhancers, colours, emulsifiers, or artificial sweeteners.

An emulsifier is a substance that helps ingredients such as oil and water stay mixed. A flavour enhancer strengthens an existing taste. These additives have specific technical purposes, and an additive's presence does not by itself show that a food is harmful.

The full ingredient list matters more than the packaging or product name. A food marketed as natural, high-protein, plant-based, or low-fat can still meet a research definition of ultra-processed. At the same time, a packaged or frozen food may be minimally processed.

NOVA classifies foods mainly by their formulation and purpose, not by nutrient content alone.[1] This means two products in the same category can have quite different amounts of fibre, protein, salt, added sugar, and saturated fat.

The category can therefore be useful for looking at an overall diet, but it does not replace the Nutrition Facts or nutrition information panel. That panel provides information about nutrients in a specific product.

Why it matters for your health

People who eat more ultra-processed foods often consume more calories, added sugars, salt, and saturated fat, and less fibre. This is not true of every product, but it is a common pattern across many diets.

Large observational studies have linked higher ultra-processed food intake with conditions including obesity, type 2 diabetes, cardiovascular disease, and some mental health problems. They have also found associations with earlier death.[4] An association means two things occur together. It does not prove that ultra-processed food directly caused the outcome.

Other factors may help explain these findings. People's income, working hours, access to food, cooking facilities, health, smoking, physical activity, and wider dietary pattern can all affect both food choices and health.

A small controlled inpatient study compared diets matched for presented calories, sugar, fat,

fibre, and other nutrients. Participants ate more calories and gained weight during the ultra-processed diet than during the minimally processed diet.[3] This suggests that features such as texture, eating speed, energy density, or food structure may affect how much people eat. The study was short and does not answer every question about long-term health.

Some ultra-processed products can still serve an important purpose. Fortified cereals and breads can provide nutrients. Packaged foods may make eating possible for people with limited time, money, mobility, cooking equipment, or food access. Infant formula and certain medical nutrition products may also fall into this category but can be necessary. Do not change a prescribed medical food or an infant's feeding plan based only on the term "ultra-processed."

What can go wrong

A dietary pattern high in energy-dense products and low in fibre-rich foods may contribute to excess calorie intake. High intakes of sodium, added sugars, or saturated fat can also affect blood pressure, blood glucose, dental health, and cardiovascular risk.

These concerns relate to the overall diet and specific nutrients, not simply to whether one item has been labelled ultra-processed. Eating one such food does not create a medical condition.

The classification can sometimes oversimplify food choices. For example, wholegrain packaged bread and a sugary soft drink may both be classified as ultra-processed, even though their nutritional value is different. Focusing only on the category may cause someone to overlook fibre, allergens, portion size, or other relevant information.

Strict avoidance may also make eating harder or more expensive. For someone with food allergies, sensory needs, an eating disorder, or a medically restricted diet, suitable packaged foods may be valuable. Unnecessary food rules can increase anxiety or reduce dietary variety.

Ultra-processed food intake itself does not cause emergency symptoms requiring immediate assessment. Seek emergency help after eating any food if you develop trouble breathing, swelling of the tongue or throat, collapse, or another sign of a severe allergic reaction. Choking is also an emergency. These situations are related to the food or allergen involved, not its processing category.

What you can do

You do not need to calculate an exact percentage of ultra-processed food. There is no standard clinical test or universally agreed personal limit.

If you want to review your food pattern, keep a short food record for several ordinary days.

Include drinks, snacks, and meals without judging them. This can help you see what foods you rely on and where practical changes might fit.

When comparing packaged foods, check:

A realistic change may be adding rather than banning. You might add fruit to breakfast, choose a higher-fibre bread, include vegetables with a ready meal, or replace some sugary drinks with water. Convenience, cost, storage, culture, and enjoyment remain legitimate parts of food choice.

Arrange routine follow-up with a registered dietitian or primary care clinician if you need help because of diabetes, heart or kidney disease, food allergies, digestive problems, pregnancy, an eating disorder, unexplained weight change, or difficulty getting enough food. Ask how to improve your overall pattern without removing foods you need.

- The ingredient list, especially whether the product is mainly whole foods or refined substances
- Fibre, added sugars, sodium, and saturated fat on the nutrition label
- Serving size, since listed amounts may not match what you eat
- Allergen information if you have a food allergy

Common questions

Is all processed food ultra-processed?

No. Frozen vegetables, pasteurised milk, canned beans, plain yoghurt, and traditional cheese are processed, but they are not necessarily ultra-processed. Processing can preserve nutrients, improve safety, and reduce food waste.

Is every ultra-processed product unhealthy?

No single category describes the full nutritional value of every product. Some products provide fibre, protein, vitamins, or minerals. Others contain large amounts of added sugar, sodium, or saturated fat. Consider the product, portion, frequency, and rest of your diet.

Can I identify ultra-processed food from the label?

Sometimes, but not with complete certainty. A long list containing isolates, modified ingredients, colours, flavours, emulsifiers, or sweeteners may suggest an ultra-processed formulation. However, there is usually no official "ultra-processed" statement on the package, and a long ingredient list is not proof that a food is harmful.

Do I need to avoid these foods completely?

There is no medical need for most people to avoid every ultra-processed product. A more useful goal may be to eat a varied pattern that includes vegetables, fruit, whole grains, beans, nuts, and appropriate protein foods while checking packaged foods for nutrients that matter to you.

Are meat substitutes and protein powders ultra-processed?

Many are, but classification depends on their ingredients and manufacturing. Their nutritional value also differs. Check protein, fibre, sodium, added sugars, allergens, and whether the product helps meet a genuine dietary need.

Sources

- Monteiro CA, Cannon G, Lawrence M, Costa Louzada ML, Pereira Machado P. "Ultra-processed foods: what they are and how to identify them." Public Health Nutrition . 2019;22(5):936-941.
- Food and Agriculture Organization of the United Nations. Ultra-Processed Foods, Diet Quality, and Health Using the NOVA Classification System . Rome: FAO; 2019.
- Hall KD, Ayuketah A, Brychta R, et al. "Ultra-Processed Diets Cause Excess Calorie Intake and Weight Gain: An Inpatient Randomized Controlled Trial of Ad Libitum Food Intake." Cell Metabolism . 2019;30(1):67-77.e3.
- Lane MM, Gamage E, Du S, et al. "Ultra-processed food exposure and adverse health outcomes: umbrella review of epidemiological meta-analyses." BMJ . 2024;384:e077310.
- UK Scientific Advisory Committee on Nutrition. Statement on Processed Foods and Health . 2023.
- US Food and Drug Administration. How to Understand and Use the Nutrition Facts Label . Consumer guidance. Reviewed February 2024.