CONDITION

Black hairy tongue

Learn why black hairy tongue develops, what it looks and feels like, how clinicians diagnose it, and which oral-care steps may help it clear.

WHAT IT IS
Harmless tongue surface condition

BODY SYSTEM
Digestive system

MAIN SYMPTOMS
Fuzzy discolored coating, bad breath, altered taste, gagging

WHAT CAUSES IT
Abnormal shedding of tongue papillae

HOW IT IS DIAGNOSED
Mouth examination by doctor or dentist

MAIN TREATMENT
Oral care and trigger reduction

CAN IT BE CURED?
Yes, usually clears with oral care

IS IT AN EMERGENCY?
No, not usually an emergency

LONG-TERM OUTLOOK
Usually temporary without lasting tongue damage

Overview

Black hairy tongue is a harmless condition that changes the appearance of the top surface of the tongue. Despite its name, it does not involve actual hair. The hair-like material is made of enlarged and lengthened filiform papillae , the tiny projections that normally give the tongue its rough texture.

These papillae contain keratin, the same type of protein found in skin, hair, and nails. They usually shed as the tongue rubs against food, teeth, and the roof of the mouth. In black hairy tongue, the papillae do not shed normally. They become longer and can trap food particles, tobacco residue, dead cells, and microorganisms.

The trapped material may become black, brown, yellow, green, or tan. For that reason, clinicians may use the broader term hairy tongue . The discoloration usually appears toward

the middle and back of the tongue rather than on its tip or sides.

Black hairy tongue is generally temporary, is not cancer, and is not contagious. Bacteria or yeast may collect among the elongated papillae, but the condition is not usually caused by an infection. Its appearance can still be upsetting and may resemble other mouth conditions. A clinician or dentist can confirm the cause when the diagnosis is uncertain.

Symptoms

The main sign is a dark or discolored coating with a fuzzy, shaggy, or hair-like appearance on the upper surface of the tongue. The color can vary depending on food, drinks, tobacco, medicines, and the types of microorganisms present in the mouth.

Many people have no discomfort. When symptoms do occur, they may include:

Black hairy tongue usually does not cause deep ulcers, a hard lump, significant bleeding, or marked swelling. Those findings need a separate medical or dental assessment rather than being assumed to come from hairy tongue.

The condition is also different from oral thrush. Thrush often produces creamy white patches that may wipe away and leave a red or tender surface. Another different condition, oral hairy leukoplakia, usually causes white, ridged patches along the sides of the tongue and is associated with changes in immune function.

- Bad breath.
- A metallic, bitter, or otherwise altered taste.
- A tickling feeling near the back of the mouth.
- Gagging, especially when the papillae are very long.
- Mild burning or soreness.
- A feeling that food is sticking to the tongue.

Causes and risk factors

Black hairy tongue develops when the filiform papillae grow longer because they are not shedding at their usual rate. The elongated papillae then hold pigments and debris. Pigment-producing, or chromogenic , bacteria and yeast may add color, but they are usually secondary contributors rather than the original cause.

Factors that may promote this process include:

Some products containing bismuth can temporarily turn the tongue dark through a chemical reaction in the mouth. This may look similar to black hairy tongue, although simple bismuth-related discoloration does not always involve elongated papillae.

A medicine may be one of several contributing factors rather than the sole cause. Do not stop an antibiotic or another prescribed treatment on your own. A doctor, dentist, or pharmacist can help determine whether a medicine might be involved and whether an alternative is appropriate.

- Infrequent brushing or cleaning of the tongue.
- Smoking or using other tobacco products.
- Heavy consumption of coffee, tea, or alcohol.
- Dry mouth, which reduces the cleansing effect of saliva.
- A diet made up mainly of soft foods, which provides less natural friction against the tongue.
- Recent use of certain antibiotics like amoxicillin or doxycycline , which can change the balance of organisms in the mouth.
- Medicines that cause dry mouth.
- Some mouth rinses, especially when used excessively or when they contain oxidizing or irritating ingredients.
- Reduced ability to perform oral care because of illness, disability, or hospitalization.

Diagnosis

A doctor or dentist can usually diagnose black hairy tongue by examining the mouth and asking about symptoms, oral-care habits, tobacco use, diet, and recent medicines. The typical finding is a patch of elongated, discolored papillae over the middle or back of the tongue.

Tests are not usually needed when the appearance is typical. The clinician may gently scrape or brush the surface to assess the coating. They may also look for dry mouth, dental problems, irritation from dentures, or signs of another oral condition.

A swab or fungal test may be considered if there are features suggesting thrush or another infection. Finding yeast in the mouth does not automatically mean it is causing the tongue changes, because small amounts can be present without disease.

A biopsy, which means removing a small tissue sample for examination, is rarely required. It may be considered if the appearance is unusual, the area is firm or ulcerated, the changes

involve an unexpected part of the tongue, or the diagnosis remains uncertain.

Clinicians may need to distinguish black hairy tongue from:

A persistent patch on the side or underside of the tongue, especially one that is hard, painful, ulcerated, or bleeding, should be assessed rather than treated as hairy tongue at home.

- Food, drink, tobacco, or medicine-related staining.
- Oral thrush.
- Oral hairy leukoplakia.
- A dark spot caused by pigment within the tongue tissue.
- Precancerous or cancerous mouth lesions.

Treatment and management

Treatment focuses on helping the papillae shed normally and reducing factors that allow debris to collect. Most cases improve with consistent mouth care and attention to possible triggers.

Gently brush the top of the tongue with a soft toothbrush during routine toothbrushing. A tongue scraper may also help. Use light pressure because vigorous scraping can cause irritation, bleeding, or soreness. Cleaning once as part of regular oral care may be enough; repeated aggressive scraping is not helpful.

Brush the teeth with fluoride toothpaste and clean between them regularly. Dentures, retainers, and other removable dental appliances should be cleaned as directed. Routine dental care can address plaque, gum disease, poorly fitting appliances, and other problems that make oral hygiene more difficult.

Drinking enough fluid may help if mild dehydration is contributing to dry mouth. Sugar-free gum or lozenges can encourage saliva production for some people. Ongoing dry mouth deserves review because it may be related to medicines, health conditions, or problems with the salivary glands.

Eating foods with a range of textures may provide natural friction that helps the papillae shed. However, people with swallowing problems, dental limitations, or a medically prescribed diet should follow their clinician's advice rather than changing food texture independently.

Other useful measures may include reducing or stopping tobacco, limiting substances that stain the tongue, and avoiding unnecessary or harsh mouth rinses. A dentist can suggest a mouth rinse that fits a person's oral-health needs. Tobacco cessation support is available

through healthcare professionals and public health programs.

If the condition began after a medicine was started, a clinician can review the timing and possible alternatives. Prescribed medicines, including antibiotics, should not be stopped or changed without professional guidance.

Antifungal treatment is not routinely needed. It may be used when a clinician identifies a separate fungal infection. Treatments intended to remove excess keratin or alter skin-cell growth have been described for persistent cases, but they can cause side effects and are not standard self-care treatments. They should only be considered under professional supervision.

Rarely, a dentist or oral specialist may mechanically remove markedly overgrown papillae when symptoms continue despite appropriate care. Most people do not need a procedure.

Complications

Black hairy tongue is usually a cosmetic condition rather than a dangerous disease. It does not normally damage the tongue or turn into cancer.

Possible problems include persistent bad breath, an unpleasant taste, nausea, or gagging. Some people may avoid eating or social contact because they feel embarrassed by the appearance. Overly forceful brushing or scraping can injure the tongue and make discomfort worse.

Microorganisms can collect within the elongated papillae, but a clinically important secondary infection is uncommon. New pain, raw areas, spreading redness, or creamy patches may suggest another condition that needs assessment.

The most important concern is not mistaking a different mouth lesion for black hairy tongue. Atypical, persistent, or changing areas should be examined by a healthcare professional.

Follow up

Arrange a routine appointment with a dentist or doctor if the tongue change is unexplained, does not begin to improve with gentle oral care, repeatedly returns, or causes troublesome taste, breath, burning, or gagging. Follow-up is also appropriate if dry mouth is ongoing or if a medicine may be contributing.

Seek a prompt medical or dental assessment for a mouth lesion that is painful, hard, ulcerated, bleeding, growing, or located mainly on the side or underside of the tongue. People with a weakened immune system should also seek advice about new or persistent mouth changes.

Black hairy tongue itself does not usually cause an emergency. Call emergency services for trouble breathing, severe difficulty swallowing, drooling with an inability to swallow, or rapid swelling of the tongue, lips, mouth, or throat. These symptoms may indicate an allergic reaction or another urgent condition and should not be attributed to hairy tongue.

Once the discoloration clears, continued gentle tongue cleaning and management of contributing factors may reduce the chance that it returns.

Sources

- American Academy of Oral Medicine. "Hairy Tongue." Patient Condition Information, accessed March 8, 2025.
- Gurvits GE, Tan A. "Black hairy tongue syndrome." World Journal of Gastroenterology . 2014;20(31):10845-10850. doi:10.3748/wjg.v20.i31.10845.
- Schlager E, St. Claire C, Ashack K, Khachemoune A. "Black hairy tongue: predisposing factors, diagnosis, and treatment." American Journal of Clinical Dermatology . 2017;18(4):563-569. doi:10.1007/s40257-017-0268-y.
- Mayo Clinic Staff. "Black hairy tongue: Symptoms and causes" and "Diagnosis and treatment." Mayo Clinic, reviewed December 2023.
- Merck Manual Professional Edition. "Tongue Discoloration and Other Changes." In: Dental Disorders . Merck & Co., reviewed February 2024.