FITNESS & EXERCISE

Tai Chi Gives Balance a Place in Your Workout

Tai chi can help protect against falls, but the strongest plan pairs balance practice with the other kinds of movement your body needs.

The wobble you notice

You step off a kerb and need an extra beat to steady yourself. Or the path tilts, your foot lands awkwardly and the recovery feels less automatic than it once did. These moments are easy to dismiss. Yet balance is not a decorative fitness skill. It helps you remain stable while ordinary life keeps changing the ground beneath you.

That matters increasingly with age because falls are common. A 2019 systematic review reported that at least one-third of people over 65 living in the community fall each year. The same review brought together 108 randomised controlled trials (RCTs), involving 23,407 people across 25 countries, to ask whether exercise could change that pattern.

It could. Across exercise types, exercise reduced the rate of falls by 23% and the number of people who experienced at least one fall by 15%. Those results were supported by high-certainty evidence. This is not a promise that exercising will prevent every fall. It is evidence that falls are not simply an unavoidable toll of getting older.

Balance work is one part of that protection. It trains stability and coordination, which may make uneven surfaces easier to manage. Tai chi is one way to practise it, alongside activities such as standing on one leg. The attraction is simple: balance stops being an abstract quality you either possess or lack. It becomes something you can work on.

Slow movement, serious purpose

Tai chi often enters the conversation because it is recognisably different from a brisk walk or a weights session. It belongs to the balance side of physical activity: the movements ask you to control your position and coordinate what your body is doing. That challenge, rather than the appearance of effort, is the important part.

In the 2019 review, tai chi may have reduced the rate of falls by 19%. It also reduced the number of people who experienced a fall by 20%. Confidence was low for the first finding but high for the second, a useful reminder that a neat percentage does not make every conclusion equally secure.

A separate 2017 review reached a broader conclusion. It included 88 trials and 19,478 participants, and found that exercise reduced falls among older people living in the community by 21%. Programmes that challenged balance had greater effects. The finding supports the principle behind tai chi without proving that tai chi is uniquely effective.

That distinction matters. Tai chi is not magic concealed inside graceful movement, and the evidence does not crown it the only route to steadier footing. It is a structured way to challenge balance. If you enjoy it enough to return to it, that practical advantage counts: regular practice is how your body adapts to an activity and improves.

Tai chi is not magic concealed inside graceful movement, and the evidence does not crown it the only route to steadier footing.

Balance cannot do every job

A good tai chi class may feel complete, but balance is only one part of physical fitness. Aerobic activity increases breathing and heart rate. Strength work uses weights, resistance bands or body weight to build stronger muscles. Flexibility work helps joints move more easily. Most people benefit from a combination rather than treating one type as the whole plan.

The falls evidence points in the same direction. In the 2019 review, balance and functional exercises reduced the rate of falls by 24%. Programmes combining several exercise types-most often balance and functional work with resistance exercise-probably reduced it by 34%. Tai chi may help, but combining capacities may buy more than concentrating on one.

A 2023 review of 42 RCTs involving 3,728 older adults with sarcopenia also favoured combinations. Resistance exercise, alone or with nutrition, and resistance exercise combined with aerobic and balance training were the most effective approaches for improving quality of life. Resistance and balance work together also improved several measures of physical function.

The practical lesson is not to abandon walking, swimming or strength work for tai chi. It is to notice the missing category. If your week already contains movement that raises your breathing rate but nothing that deliberately challenges stability, tai chi can fill a real gap. If tai chi is all you do, strength and aerobic activity still have separate jobs.

What the evidence cannot promise

Research averages do not predict exactly what will happen to you. The strongest falls findings apply to older people living in the community. The 2017 review did not find evidence that

exercise prevented falls in residential care settings, among stroke survivors or among people recently discharged from hospital. Those situations cannot simply borrow the result from healthier community-dwelling adults.

There are uncertainties around harm, too. In the 2019 review, only 27 trials reported adverse events to some degree, and just one closely monitored both exercise and control groups. Most reported events were not serious and were mainly musculoskeletal, but incomplete monitoring limits what can be concluded about safety.

This becomes a medical conversation before it becomes an exercise experiment if you already have trouble moving or balancing, have a disability that limits activity, worry that exercise may be unsafe, or live with conditions such as heart disease, high blood pressure or diabetes. A health care professional can help identify suitable types and amounts of activity.

Stop exercising and seek help straight away if you develop pain, extreme shortness of breath, dizziness or a general sense that something is not right. Tai chi may look gentle, but gentle-looking movement is still physical activity. Starting slowly is not timidity. It is how you avoid pushing too hard all at once.

Put one class on the calendar

On Monday, look for one beginner tai chi class that suits your abilities. A community or recreation centre may offer a lower-cost option, and a class can provide guidance as you begin. If disability affects which movements are possible, ask whether the activity can be adapted before you commit.

Do not turn the search into a complete reinvention of your fitness life. You do not need elaborate equipment, and you do not need to settle the perfect weekly routine immediately. Choose an activity you are likely to enjoy, start slowly and let regular practice-not a dramatic first effort-do the work.

Then check what tai chi would add to what you already do. A walk, swim or bike ride serves an aerobic role. Weights, resistance bands or body weight provide strength work. Tai chi offers a deliberate balance challenge. These activities are not rivals; they cover different parts of physical fitness.

Write the class on a paper calendar, including the time you need to leave home. That takes one calendar and a pen. The ink is a small commitment, but it turns "I should work on my balance" into somewhere you will actually be next week.

Where this comes from

- Exercise and Physical Fitness

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/exerciseandphysicalfitness.html
- Exercise for Older Adults

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/exerciseforolderadults.html
- Physical Activity and Your Heart - What Is Physical Activity?

  National Heart, Lung, and Blood Institute · https://www.nhlbi.nih.gov/health/heart/physical-activity
- Tips for Starting Physical Activity

  National Institute of Diabetes and Digestive and Kidney Diseases · https://www.niddk.nih.gov/health-information/weight-management/tips-get-active/tips-starting-physical-activity
- Effect of exercise for depression: systematic review and network meta-analysis of randomised controlled trials.

  BMJ (Clinical research ed.), 2024 · https://pubmed.ncbi.nlm.nih.gov/38355154/
- Exercise for sarcopenia in older people: A systematic review and network meta-analysis.

  Journal of cachexia, sarcopenia and muscle, 2023 · https://pubmed.ncbi.nlm.nih.gov/37057640/
- Exercise to prevent falls in older adults: an updated systematic review and meta-analysis.

  British journal of sports medicine, 2017 · https://pubmed.ncbi.nlm.nih.gov/27707740/
- Physical exercise for people with Parkinson's disease: a systematic review and network meta-analysis.

  The Cochrane database of systematic reviews, 2023 · https://pubmed.ncbi.nlm.nih.gov/36602886/
- Exercise for preventing falls in older people living in the community.

  The Cochrane database of systematic reviews, 2019 · https://pubmed.ncbi.nlm.nih.gov/30703272/