LIVING WELL

Your First Twelve Weeks of Pregnancy

A calm, practical guide to the early decisions that matter, from prenatal care and medicines to food, movement and asking for help.

The test changes the room

The result may be sitting on the bathroom counter while the rest of your life looks exactly the same. Perhaps you feel thrilled. Perhaps you feel frightened, uncertain or simply unprepared. Early pregnancy can carry several feelings at once, and none of them has to match the reaction you imagined you would have.

The first twelve weeks can quickly become a private obstacle course of advice. Eat this. Never touch that. Buy a cupboard of supplements. Stop taking everything. Much of this arrives without context, and some of it conflicts. You do not need to solve pregnancy in a morning. You need a few sound decisions and somewhere to take the questions that follow.

The central move is to arrange prenatal care. At these appointments, a healthcare provider checks your health, monitors the pregnancy and looks for problems early. Prompt care can address many problems and prevent others. If you already manage a medical condition, that conversation matters especially because your health can shape what care you need during pregnancy.

Systemic lupus erythematosus (SLE) is one example. A 2024 review covering 10,355 pregnancies found that previous lupus nephritis, chronic hypertension, active SLE around conception and secondary antiphospholipid syndrome predicted particular adverse outcomes. The review also found considerable potential bias from study attrition and confounding. It does not predict what will happen to one person, but it shows why individual medical history belongs in early pregnancy planning.

Do not edit your medicines alone

Pregnancy can make an ordinary medicine cabinet suddenly look suspect. Resist two impulses: assuming that anything sold without a prescription must be harmless, and stopping an established medicine because the label now worries you. Before starting or stopping any prescription, over-the-counter medicine, vitamin, dietary supplement or herbal product, check with your healthcare provider.

Make the conversation specific. Your provider needs to know every medicine and supplement you take, as well as current medical conditions, vaccinations and relevant parts of your health history. A written list is more useful than trying to reconstruct the cupboard from memory while you are sitting in an appointment.

Opioids need particular care. Use during pregnancy is associated with risks that include birth defects, preterm birth, pregnancy loss and neonatal abstinence syndrome, which causes withdrawal in newborn babies. If a provider suggests a prescription opioid for pain, discuss its risks and benefits together. If you are already taking opioids or are dependent on drugs, do not stop suddenly: that can be dangerous for you and the developing baby. Contact your provider for help stopping safely.

Prenatal vitamins belong in this same conversation rather than in a separate category marked "natural." Pregnancy raises the need for certain nutrients, including folic acid and iron. Folic acid before conception and in early pregnancy helps prevent serious defects of the developing brain and spine. Ask which prenatal vitamin is appropriate for you rather than combining products or guessing from competing claims.

You do not need to solve pregnancy in a morning.

The firmest no is alcohol

Some early-pregnancy choices come with uncertainty. Alcohol is not one of them. There is no known safe amount during pregnancy, and no safe timing has been established. Wine and beer are not gentler exceptions. Alcohol exposure can affect growth and cause fetal alcohol spectrum disorders, lifelong conditions involving physical, behavioural and learning problems.

Tobacco also brings clear risks. Smoking passes nicotine, carbon monoxide and other harmful chemicals to the developing baby. Nicotine can damage the developing brain and lungs, while carbon monoxide can reduce the oxygen the baby receives. Smoking during pregnancy raises the risks of being born too small or too early, birth defects and sudden infant death syndrome during the first year.

Switching to an e-cigarette does not make nicotine safe during pregnancy. E-cigarettes and other tobacco products can contain nicotine, and some flavourings may also harm developing babies. Secondhand smoke carries some of the same risks as smoking, so reducing exposure around you matters too.

Illegal drugs and prescription drug misuse can harm both you and the pregnancy. Depending on the substance, the possible outcomes include miscarriage, birth defects, low birth weight and later learning or developmental disabilities. This is not a test of willpower or character. If

stopping feels difficult, tell a healthcare provider. The safe next step is supported care, not secrecy or abrupt withdrawal.

Ordinary care still counts

Once the prohibitions are out of the way, pregnancy advice can become strangely elaborate. The useful foundation is much less theatrical: regular prenatal care, varied food, enough water and appropriate movement. These choices do not promise a particular outcome. They support your health while the fetus develops.

A varied pattern of eating can include fruits, vegetables, whole grains, lean meat or other protein sources, and low-fat dairy products. That is a broad framework, not a demand for perfect meals. A difficult day does not cancel the next one, and pregnancy does not require you to turn every plate into a performance.

Physical activity can help you stay strong, feel and sleep better, and prepare your body for birth. The appropriate activity depends on you, so ask your provider what is suitable rather than copying somebody else's routine. The aim is not to earn pregnancy or prove fitness. It is to find movement that fits your health and medical advice.

Oral health deserves a place in the wider conversation, though the evidence requires care. A 2022 review of thirty observational studies found an association between periodontitis and pre-eclampsia. Association does not show that periodontitis causes pre-eclampsia, and the researchers said trials are needed to learn whether improving periodontitis prevents it. The practical meaning is modest: mention existing gum disease to your healthcare provider rather than treating the finding as a prediction.

Make one list on Monday

The hardest part of the first twelve weeks may be deciding which new sensation deserves attention. General advice cannot reliably settle that for you. If something is bothering or worrying you, contact your healthcare provider. That is the point where searching for reassurance should give way to an individual medical conversation.

The same applies to mental health. Worry, sadness and stress can happen, but feelings that do not go away and interfere with daily life deserve help. Tell your provider what is happening and ask about treatment, counselling or other support. If home or a relationship feels stressful or abusive, healthcare professionals can also help connect you with support.

On Monday, make one page for your first prenatal conversation. Use a blank notebook and a

pencil. Write down your medical conditions, medicines, over-the-counter products, vitamins and supplements; note tobacco, alcohol or drug use honestly; add your family health history, vaccination questions and anything currently worrying you. Then contact a healthcare provider to arrange prenatal care.

Put the notebook beside your medicine containers so you can check the names rather than rely on memory. Add one question at the bottom: "What should I start, stop or change now?" That page will not answer every question about the weeks ahead. It will do something better: turn a roomful of uncertainty into a conversation tailored to you.

Where this comes from

- Pregnancy

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/pregnancy.html
- Pregnancy and Substance Use

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/pregnancyandsubstanceuse.html
- Site Index | Healthy Pregnancy | CDC

  Centers for Disease Control and Prevention · https://www.cdc.gov/pregnancy/site.html
- Planning for Pregnancy | Healthy Pregnancy | CDC

  Centers for Disease Control and Prevention · https://www.cdc.gov/pregnancy/about/index.html
- During Pregnancy | Healthy Pregnancy | CDC

  Centers for Disease Control and Prevention · https://www.cdc.gov/pregnancy/during/index.html
- Pregnancy outcome predictors in systemic lupus erythematosus: a systematic review and meta-analysis.

  The Lancet. Rheumatology, 2024 · https://pubmed.ncbi.nlm.nih.gov/39153486/
- Periodontitis and Preeclampsia in Pregnancy: A Systematic Review and Meta-Analysis.

  Maternal and child health journal, 2022 · https://pubmed.ncbi.nlm.nih.gov/36209308/