FITNESS & EXERCISE

High-Intensity Training Is Powerful, but Not for Everyone

The evidence supports hard intervals, but it also shows why your health, starting point and preferences matter more than the hype.

The appeal of going hard

You have limited time, a pair of trainers and a workout promising maximum returns for maximum effort. High-intensity training can feel like the efficient answer: work harder, finish sooner and trust that discomfort means progress. The research offers some support for that appeal. It does not offer permission to ignore your starting point.

Most studies examine high-intensity interval training (HIIT), often comparing it with moderate-intensity continuous training (MICT). The language makes HIIT sound like a single, standard workout. It is not that simple. Reviews include interventions that differ in their length, frequency and interval design, which can influence the results.

That matters because "high intensity" is not an identity you earn or a test of character. It is one way to train. Aerobic activity increases breathing and heart rate, while resistance, balance and flexibility work develop different parts of fitness. Most people benefit from combining types rather than treating the hardest one as the only one that counts.

Regular physical activity may help prevent or delay type 2 diabetes, heart disease, high blood pressure and stroke. It may also improve mood, stress and physical strength. Those benefits belong to physical activity broadly. You do not need to turn every workout into an all-out effort to claim them. Even modest amounts of movement can help.

What hard intervals can deliver

A 2023 review of 29 randomised trials in young and middle-aged adults found that both HIIT and MICT improved body composition and cardiorespiratory fitness. HIIT produced greater changes in waist circumference, percentage fat mass and peak oxygen consumption, but the authors judged the clinical importance of those differences to be limited.

That last detail is easy to lose. A statistically detectable advantage is not automatically a dramatic real-life transformation. The review concluded that HIIT's effects on fat loss and

cardiorespiratory fitness were similar to or better than continuous moderate training, with results potentially influenced by age, obesity, intervention length, frequency and interval design.

Among adults with overweight or obesity, a 2021 review covering 66 studies and 3,964 participants found that aerobic, resistance, combined and high-intensity interval training all increased maximal oxygen consumption. HIIT was slightly more effective than aerobic training for that measure. Resistance exercise remained important when muscle strength was the goal.

Blood pressure research tells a similar story about keeping HIIT in perspective. A 2023 analysis of 270 randomised trials found that HIIT reduced resting blood pressure, but so did aerobic, dynamic resistance, combined and isometric training. In the network comparison, isometric exercise ranked highest for reducing systolic blood pressure; HIIT ranked below the other modes examined. Harder was not automatically better.

Elite logic does not belong to everyone

Endurance athletes provide a useful correction to the idea that serious training means spending most of your time at high intensity. A 2022 review of middle- and long-distance runners found greater improvements in studies using larger volumes of low-intensity training, combined with smaller volumes of threshold work and HIIT, than in studies concentrated around threshold intensity.

The review also found that training intensity could look different depending on how it was measured. Session ratings of perceived exertion, heart rate, blood lactate, race pace and running speed did not necessarily classify the same programme in the same way. The authors recommended combining objective and subjective monitoring to guide decisions.

That does not turn an athlete's training distribution into a prescription for you. It makes a narrower point: even people training specifically for endurance performance do not necessarily make hard work the bulk of their activity. Intensity is a tool inside a larger programme, not the programme itself.

The most useful training plan is also one you can continue. General exercise guidance recommends building activity slowly, practising regularly, mixing activities and avoiding a sudden push that is too hard. Enjoyment matters because an activity you like is easier to make habitual. A theoretically efficient workout has little value if it drives you towards burnout or makes you stop.

The people who need a pause

If you have not exercised for a while, the sensible starting point is slower than the workout marketing may suggest. Your body adapts to the activity you practise, and gradual increases can help you become stronger, faster or more flexible without pushing too hard at once. Small amounts of exercise still count.

You should check with a healthcare professional before beginning if you have difficulty moving or balancing, or if you are worried that exercise may not be safe for you. Older adults can benefit from endurance, strength, balance and flexibility activities, but the appropriate amount depends on age and health. Being older does not rule exercise out; it makes individual context important.

Research in people with heart disease shows why that distinction matters. A 2022 review of 15 trials involving 664 people aged 52 to 78 compared HIIT with MICT in coronary artery disease and heart failure. HIIT improved peak oxygen consumption in coronary artery disease, while that measure did not appear to change in participants with heart failure.

The same review found improvements in some other markers, but not all of them. This evidence shows that HIIT has been studied in people with cardiovascular disease; it does not make a hard interval workout a do-it-yourself medical plan. If you have a health condition or safety concern, deciding what activity is right for you belongs in a conversation with your healthcare professional.

Make Monday a starting point

Your first move does not need to be a punishing session. On Monday, choose one activity you genuinely enjoy and establish what ordinary movement feels like before deciding whether high intensity belongs in the picture. Walking, running, swimming, cycling, dancing and resistance exercise are all forms of activity represented in general exercise guidance.

Use a phone fitness tracker or another wearable activity tracker to record what you do. The purpose is not to chase a number or copy somebody else's effort. It is to create a record of your own starting point and notice whether you are building activity gradually rather than making one abrupt leap.

Pay attention to how you feel as well as what the tracker records. If you have pain, extreme shortness of breath, dizziness or simply do not feel right, stop exercising and seek help immediately. That is the point at which finishing the workout stops mattering.

High intensity may eventually become one useful part of your training, but it does not need to be the entrance fee. Monday takes an activity you enjoy and a phone fitness tracker. If health,

movement or balance makes you uncertain, it takes one conversation with your healthcare professional first.

Where this comes from

- Exercise and Physical Fitness

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/exerciseandphysicalfitness.html
- Exercise for Older Adults

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/exerciseforolderadults.html
- Physical Activity and Your Heart - What Is Physical Activity?

  National Heart, Lung, and Blood Institute · https://www.nhlbi.nih.gov/health/heart/physical-activity
- Benefits of Physical Activity

  National Institute of Diabetes and Digestive and Kidney Diseases · https://www.niddk.nih.gov/health-information/weight-management/tips-get-active/benefits-physical-activity
- Exercise training and resting blood pressure: a large-scale pairwise and network meta-analysis of randomised controlled trials.

  British journal of sports medicine, 2023 · https://pubmed.ncbi.nlm.nih.gov/37491419/
- Training-intensity Distribution on Middle- and Long-distance Runners: A Systematic Review.

  International journal of sports medicine, 2022 · https://pubmed.ncbi.nlm.nih.gov/34749417/
- Effect of different types of regular exercise on physical fitness in adults with overweight or obesity: Systematic review and meta-analyses.

  Obesity reviews : an official journal of the International Association for the Study of Obesity, 2021 · https://pubmed.ncbi.nlm.nih.gov/33939229/
- The Effects of High-Intensity Interval Training on Exercise Capacity and Prognosis in Heart Failure and Coronary Artery Disease: A Systematic Review and Meta-Analysis.

  Cardiovascular therapeutics, 2022 · https://pubmed.ncbi.nlm.nih.gov/35801132/
- Effect of High-Intensity Interval Training vs. Moderate-Intensity Continuous Training on Fat Loss and Cardiorespiratory Fitness in the Young and Middle-Aged a Systematic Review and Meta-Analysis.

  International journal of environmental research and public health, 2023 · https://pubmed.ncbi.nlm.nih.gov/36981649/