BEAUTY

Which Sun Damage Can You Still Undo?

Some visible changes can improve, but the most important repair is stopping ultraviolet exposure from adding to damage already done.

The mirror tells only part of the story

You notice a new dark spot, a deeper line or the remains of last weekend's burn. The tempting promise is that the right cream can reverse the damage. The honest answer is narrower: some visible effects may improve, while damage inside skin cells cannot simply be declared erased.

Ultraviolet (UV) rays pass into skin and damage its cells. A sunburn is evidence of that injury, but so is a tan: skin darkens after UV exposure has already killed some cells and damaged others. The colour may fade. That does not make the exposure harmless.

Long-term UV exposure can leave skin less elastic, with wrinkles, dark spots and a thickened or leathery texture. It can also damage cellular deoxyribonucleic acid (DNA), interfere with the body's ability to fight cancer and raise the risk of melanoma and other skin cancers. A cosmetic improvement is not proof that those risks have been reversed.

This distinction matters because "sun damage" covers several different things. A minor burn can settle. Pigmentation and other visible signs of photoaging may respond to topical products. But none of the supplied evidence shows that a cream can cancel past UV exposure or remove the associated cancer risk.

A burn heals, but it leaves a warning

Sunburn often appears hours after exposure, worsens over the following day or so, then resolves within several days. Cool baths or cool wet cloths can soothe the area, while moisturising cream or aloe can ease discomfort. Drinking water helps replace fluid losses. There is no quick cure.

Blisters should be covered lightly rather than broken. Opening them can slow healing and increase the risk of infection. More importantly, burned skin should be kept out of further sun until it has healed. Treating the soreness does not make another exposure safe.

A severe burn is no longer a skincare project. Seek medical care if a large area of your body is burned, you become dehydrated, develop a high fever or have extreme pain that persists. Those are reasons to stop experimenting with home care.

Once redness and tenderness disappear, it is easy to regard the episode as undone. It is more accurate to see healing as recovery from the immediate injury. Repeated overexposure is linked with premature wrinkling, age spots and increased skin-cancer risk, even when each individual burn eventually fades.

The mirror can show improvement while the history of UV exposure remains part of your health.

Creams can change the surface

There is evidence that some visible photodamage can be treated. A 2024 systematic review examined topical botanicals, peptides and hydroquinone used for UV-damaged skin. It concluded that these groups can be effective, and judged the evidence behind peptides to be particularly strong within the studies it assessed.

That finding supports a modest claim: topical products may improve aspects of how photodamaged skin looks. It does not show that every botanical works, that all products containing peptides are equivalent or that treatment repairs every kind of UV injury. The review also does not establish that cosmetic improvement removes skin-cancer risk.

Hydroquinone appeared among the treatments assessed for photodamaged skin, but the supplied evidence does not provide enough detail to guide you through choosing or using it safely. The same limitation applies to individual botanicals and peptide formulas. An ingredient category with supporting evidence is not a promise about every jar carrying that ingredient.

Retinoids are often associated with skin renewal, but the review supplied here evaluated topical retinoids for acne, not sun damage. Its results cannot be repurposed as proof that retinoids reverse photoaging. That boundary may be less exciting than a sweeping claim, but it protects you from buying certainty that the evidence does not provide.

The useful way to judge a "repair" product is therefore by the outcome it can plausibly offer. Softening the appearance of a spot or line is different from restoring untouched skin. The mirror can show improvement while the history of UV exposure remains part of your health.

The damage you can stop today

The most dependable intervention is not retrospective. It is preventing further exposure. Ultraviolet A (UVA) can travel more deeply into skin, while ultraviolet B (UVB) is a major cause of sunburn. Both reach the earth's surface, and tanning beds expose skin to both.

Protection matters beyond hot summer days. UV rays can reach you when it is cool or cloudy,

and they reflect from water, cement, sand and snow. Shade helps, but it does not block every reflected or indirect ray. Protective clothing and sunscreen still have a role there.

Choose a broad-spectrum sunscreen, meaning it filters both UVA and UVB, with a sun protection factor (SPF) of at least 15. Sunscreen works best alongside tightly woven clothing, a wide-brimmed hat, shade and wraparound sunglasses that block UVA and UVB. Reapply sunscreen after swimming, heavy sweating or towelling off.

Avoiding tanning beds is part of the same repair strategy. A so-called base tan is already evidence of skin damage and does not prevent sunburn outdoors. Sunless tanning colour also does not protect you from UV rays, even though products used on the skin have no known skin-cancer risk when used as directed externally.

Check your skin regularly. A new spot or a change in the size, shape, colour or feel of a mole, birthmark or existing mark belongs in a conversation with a healthcare professional, not in a cosmetic routine. That is the point where "sun damage" stops being an appearance question.

Build a sun kit for Monday

This week, put protection where you will actually use it. Gather a broad-spectrum sunscreen, a wide-brimmed tightly woven hat, tightly woven covering clothing and wraparound sunglasses. Keep them together near the bag or doorway you use before going outside.

Then look at the sunscreen itself. Check that it offers broad-spectrum protection, has an SPF of at least 15 and has not expired. Heat can shorten its useful life, so replace a bottle that is old or has been stored in high temperatures.

Use shade when you can and reduce time in strong midday sun, but do not treat either as an invisible shield. Cloud, cool air and shade can make exposure less obvious without eliminating it. The aim is not to hide indoors. It is to stop ordinary outdoor time from quietly adding more damage.

You cannot put untouched skin back in the bottle. You can start Monday with sunscreen, a hat, covering clothes and sunglasses-and give your skin less to recover from next time.

Where this comes from

- Sun Exposure

  MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/sunexposure.html
- Tanning



MedlinePlus, U.S. National Library of Medicine · https://medlineplus.gov/tanning.html

- Sun Safety Facts | Skin Cancer | CDC

  Centers for Disease Control and Prevention · https://www.cdc.gov/skin-cancer/sun-safety/

- Sun Exposure at Work | Outdoor | CDC (NIOSH)

  Centers for Disease Control and Prevention · https://www.cdc.gov/niosh/outdoor-workers/about/sun-exposure.html

- Cosmeceuticals in photoaging: A review.

  Skin research and technology : official journal of International Society for Bioengineering and the Skin (ISBS) [and] International Society for Digital Imaging of Skin (ISDIS) [and] International Society for Skin Imaging (ISSI), 2024 · https://pubmed.ncbi.nlm.nih.gov/39233460/

- Topical Retinoids in Acne Vulgaris: A Systematic Review.

  American journal of clinical dermatology, 2019 · https://pubmed.ncbi.nlm.nih.gov/30674002/